ENVIRONMENTAL MONITORING AND ASSESSMENT PROGRAM SURFACE WATERS FIELD OPERATIONS MANUAL FOR LAKES

The information in this Adobe Acrobat Reader PDF file is one of several PDF files extracted from this report. The PDF files from the report are:

lake_ove.pdf Overview of EMAP Surface Waters Lake Sampling, daily operations, lake verification and index

site location, and general lake assessment (Sections 1, 2, 3, 4, 9)

lake_hab.pdf Protocols for temperature, dissolved oxygen, shoreline physical habitat (Section 5)

lake_fis.pdf Protocols for fish sampling (Section 6)

lake_wat.pdf Protocols for Secchi transparency, water sample collection, chlorophyll a, zooplankton, sediment

diatom (Section 7)

lake_ben.pdf Protocols for benthic invertebrate sampling (Section 8)

lake_avi.pdf Protocols for avian assemblages (Appendix A)

lake_vis.pdf Lake-Visit Checklists for all Field Measurements (Appendix B)

field_for.pdf Field Data Forms for all Field Measurements (Appendix C)

The Table of Contents, acknowledgments, notice page, listing of figures, listing of tables, and listing of acronyms for the document appear at the end of each pdf file.

In all cases, the source for this information for citation purposes is:

Baker, John R., David V. Peck, and Donna W. Sutton (editors). 1997. Environmental Monitoring and Assessment Program Surface Waters: Field Operations Manual for Lakes.

EPA/620/R-97/001. U.S. Environmental Protection Agency, Washington D.C.

For further information contact,

EMAP Surface Waters Group, US EPA, National Health and Environmental Effects Research Laboratory, Western Ecology Division, 200 SW 35th Street, Corvallis, OR 97333, (541) 754-4600

ENVIRONMENTAL MONITORING AND ASSESSMENT PROGRAM SURFACE WATERS FIELD OPERATIONS MANUAL FOR LAKES

John R. Baker, David V. Peck¹, and Donna W. Sutton Lockheed Environmental Systems & Technologies Co. Las Vegas, Nevada 89119

Contract No. 68-C0-0049

¹ Current Address: U.S. EPA, National Health and Environmental Effects Research Laboratory, Western Ecology Division, Corvallis, Oregon

Work Assignment Manager
S. A. Peterson
National Health and Environmental Effects Research Laboratory
Western Ecology Division
Corvallis, Oregon 97333

S. G. Paulsen, Technical Director
Surface Waters Resource Group
National Health and Environmental Effects Research Laboratory
Western Ecology Division
Corvallis, Oregon 97333

WESTERN ECOLOGY DIVISION

NATIONAL HEALTH AND ENVIRONMENTAL EFFECTS RESEARCH LABORATORY

OFFICE OF RESEARCH AND DEVELOPMENT

U.S. ENVIRONMENTAL PROTECTION AGENCY

CORVALLIS, OREGON 97333

CHARACTERIZATION RESEARCH DIVISION
NATIONAL EXPOSURE RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
LAS VEGAS, NEVADA 89193-3478

ECOLOGICAL EXPOSURE RESEARCH DIVISION
NATIONAL EXPOSURE RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45219

ABSTRACT

The methods and instructions for field operations presented in this manual for lake surveys were developed and tested through 4 years of pilot and demonstration projects from 1991 through 1994. These projects were conducted under the sponsorship of the U.S. Environmental Protection Agency and its collaborators through the Environmental Monitoring and Assessment Program (EMAP). This program focuses on evaluating ecological conditions on regional and national scales. This document describes procedures for collecting data, samples, and information about biotic assemblages, environmental measures, or attributes of indicators of lake ecosystem condition. The procedures presented in this manual were developed based on standard or accepted methods, modified as necessary to adapt them to EMAP sampling requirements. In addition to methodology, additional information on data management and other logistical aspects is integrated into the procedures and overall operational scenario. Procedures are described for collecting chlorophyl a, water, sedimentary diatoms, and zooplankton data in conjunction with the development of standard methods to obtain acceptable index samples for macrobenthos, fish assemblage, fish tissue contaminants, riparian birds, and physical habitat structure. The manual describes field implementation of these methods and the logistical foundation constructed during field projects. The manual includes flow charts with overall summaries of specific field activities required to visit a lake site and collect data for these indicators. Tables give step-by-step protocol instructions. These figures and tables can be extracted and bound separately to make a convenient quick field reference for field teams. The manual also includes example field data forms for recording measurements and observations made in the field and sample tracking information. Checklists of all supplies and equipment needed for each field task are included to help ensure that these materials are available when required.

APPENDIX C

FIELD DATA FORMS

Field data forms are presented in the general order of their use at each lake:

- 1. Lake Verification Form
- 2. Lake Profile Form
- 3. Physical Habitat Characterization Form--Lakes
- 4. Physical Habitat Characterization Comment Form
- 5. Physical Habitat Sketch Map Form
- 6. Fish Tally Form--Lakes
- 7. Fish Tally Continuation Form--Lakes
- 8. Fish Length Form--Lakes
- 9. Fish Tissue Sample Tracking Form--Lakes
- 10. Sample Collection Form--Lakes
- 11. Benthos Sample Location and Collection Form--Lakes
- 12. Lake Assessment Form

| | | LAKE VERIFICA | TION FORM | | | | | | |
|-------------------|------------------------------|-------------------------------|--------------------|-------------------|----------------------|--------------------------|-----------|--|--|
| LAKE NAME: | | | DATE OF VISI | т: / | 1 | VISIT #: | 1 2 | | |
| LAKE ID: | L | | MODE (| OF ACCES | S: VEHICL | E HIKE-IN | AIRCRAFT | | |
| TEAM ID (CIRCLE | E): 1 2 3 4 5 6 | 7 8 9 10 OTHER:_ | | | | | | | |
| ARROW INDICATES N | ORTH | | | | MARK SITE: | L = LAUNCH | X = INDEX | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | LAKE VERIFICATION | INFORMATION | N | | | | | |
| LAKE SHAPE COME | PARES TO MAP? □ YE | S D NO | | | | | | | |
| LAKE VERIFIED BY | | PS DELOCAL CONTACT | □ Signs | □ Roads | □ Торо. I | | | | |
| □ Other (Descri | | | 1 | | | (Explain in C | | | |
| COORDINATES | LATITUDE (dd mm ss) North | LONGITUDE (ddd mm ss) West | TYPE OF GPS FIX | SIGNAL QUALITY | GEOMETRIC QUALITY | Are GPS Co w/i ±1 min | | | |
| Мар: | "" | "" | | | | | | | |
| Launch Site: | "" | " | □ 2D □ 3D | | | □ YES | □ NO | | |
| Index Site: | "" | "" | □ 2D □ 3D | | | □ YES | □ NO | | |
| LAKE | REASON NOT SAMPLED (| EXPLAIN BELOW): 🛮 NOT VISITE | ED nON-TARG | ET INA | CCESSIBLE | □ OTHER | | | |
| SAMPLED? | Explanation: | | | | | CHECK HERE | IF | | |
| □YES □NO | <u> </u> | | | | | EXPLANATION CONTINUED O | | | |
| DIES DINO | 1 | | | | | | | | |

DESCRIBE LAUNCH SITE, LAKE DIRECTIONS, AND ADD COMMENTS ON BACK

REVIEWED BY (INITIAL):_____

Rev. 3/95 FLDFRMS.95(G)

| LAKE ID: L | LAKE VERIFICATION FORM (continued) | VISIT #: | 1 | 2 |
|------------|---|----------|---|---|
| | DIRECTIONS TO LAKE & LAUNCH SITE | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | • |
| | LAUNCH SITE DESCRIPTION | | | |
| | | | | • |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | GENERAL COMMENTS | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| EXPLANATIO | ON FOR NOT SAMPLING THE LAKE (continued from front) | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Rev. 3/95 FLDFRMS.95(G)

REVIEWED BY (INITIAL):_____

Lake Verification Form - 2

| LAKE PROFILE FORM | | | | | | | | | | | |
|--|----------------------------------|---------------|------------|----------------------------|-------------------|----------------------------------|--------------|----------|-------------------------|------------|--|
| LAKE NAME: | | | | DATE | OF PROFILE: | 1 | 1 | VISIT #: | 1 2 | 2 | |
| LAKE ID: | | L | | | SITE | ID (circle) | : INDEX | OTHER: | | | |
| TEAM ID (circle | e): 1 2 | 3 4 | 5 6 | 7 8 9 | 10 OTHER | : | | | | | |
| PRECIPITATION (circle): None Light Heavy | | | | | | | | | | | |
| SURFACE CONDITIONS (circle): FLAT RIPPLES CHOPPY WHITECAPS | | | | | | | | | | | |
| ODOR? □ No □ YES Description: | | | | | | | | | | | |
| SCUM? Do No Description: | | | | | | | | | | | |
| INDEX SITE DEPTH: M CHECK (✓) IF SONAR NOT USED: [| | | | | | | | | | | |
| FLAG: C | OMMENTS | i: | | | | | | | | | |
| | | | | | | | | | | | |
| DISSOLVED OXYGEN & TEMPERATURE PROFILE (Depth of Measurement ^a [m]: Surface, 1.5, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 20, 25, 30, 35, 40, 45, and 50 m), Also include readings at 1 m above bottom. | | | | | | | | | | | |
| | 0 | TEMP. | SO INCIU | de readings a | at i ili above bo | | TEMP. | | | | |
| DEPTH (m) xx.x | O ₂ (mg/L) xx.x | (°C) xx.x | FLAG | META- LIMNIQN (T, B) | DEPTH (m) xx.x | O ₂ (mg/L) xx.x | (°C) xx.x | FLAG | META LIMNIO (T,B) | ON | |
| Surface | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| SURFACE (Dup.) | | | | | | | | | | | |
| IS THE DUPLICATI | E O₂ READING | WITHIN ±0.5 N | IG/L OF TH | HE INITIAL SURI | FACE READING? | | | | YES | □ N | |
| CHECK HERE IF ADDITIONAL PROFILE MEASUREMENTS ARE RECORDED ON THE REVERSE SIDE: | | | | | | | | | | | |

FLAG CODES: K = No Measurement or Observation made; U = Suspect Measurement or Observation; Q = Unacceptable QC Check Associated with Measurement; F1, F2, ETC. = Miscellaneous Flags Assigned by each field crew. Explain all flags in comments section on back of form.

Reviewed By (Initial):______

Rev. 3/95 FLDFRMS.95(G) Lake Profile Form - 1

^a If the site depth is ≤ 3 m, take readings at the surface, every 0.5 m, and 1 m above the bottom.

b METALIMNION = The region of the profile where the temperature changes at a rate of 1 °C or greater per meter of depth. Indicate the depth of the top of the metalimnion with a "T," and the bottom of the metalimnion (when the rate of change becomes less than 1 °C per meter) with a "B." After the metalimnion is encountered, take readings every 1 m until bottom of the metalimnion is reached. Record the depth of the top of the metalimnion on the Benthos Sample Location and Collection Form.

| LAKE ID: | | L | LAKE F | PROFILE FOR | RM (c | ontinued) | | | VISIT #: | 1 2 | | |
|---|----------------------------------|-----------------------|------------|---|-------|-----------------|---|-----------------------|-------------|--|--|--|
| | | | | | | | | | | | | |
| | | OXY | GEN MET | TER CALIBRA | ATION | INFORM | IATION | | | | | |
| SALINITY KNOB AT | " 0-F RESH": | | MEMBRAI | NE CHECK | | Е | LECTRONIC | zero 🗆 | RED | LINE: | | |
| CALIBRATION CHAI | MBER TEMPER | RATURE: | | | °C | SATURA | SATURATED O ₂ @ CHAMBER TEMP.: | | | | | |
| LAKE ELEVATION (FROM TOPO. MAP | OR A LTIMETE | R): | | | FT | ELEVATION | ELEVATION CORRECTION FACTOR: × | | | | | |
| | | | | | | CALIBR | ATION VA | LUE: | | MG/L | | |
| THE CALIBRATION VALUE CONCENTRATION TIMES | AN ELEVATION | CORRECTION FAC | CTOR (BOTH | VALUES ARE | | FLAG | | СОММ | ENTS | | | |
| OBTAINED FROM TABLE MANUFACTURER'S OPE | | | | | | | | | | | | |
| CALIBRATION VALUE. | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | I | | | N & TEMPER 5 m, continue re | | | | nued) | | | | |
| DEPTH (m) xx.x | O ₂ (mg/L) xx.x | TEMP. (°C) xx.x | FLAG | META- LIMNION (T, B) ^a | DEI | PTH (m) xx.x | O ₂ (mg/L) xx.x | TEMP. (°C) xx.x | FLAG | META- LIMNION (T,B) ^b | | |
| | | | | (-, -) | | | | | | (-,=/ | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | |
| DEPTH & FLAG | | | | | COM | MENTS | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | REVIEWED | BY (INITIAL |): | | |

Rev. 3/95 FLDFRMS.95(G) Lake Profile Form - 2

| PHYSICAL HABITAT CHARACTERIZATION FORM-LAKES | | | | | | | | | | | |
|--|---|----------|------------------|---------|--------|----------|--------|--------|---------|-----------------|--------|
| LAKE NAM | E: | | DATI | E OF V | ISIT: | 1 | 1 | | VISIT | 2 | |
| LAKE ID: | L TEAM ID | (circle | e): 1 | 2 | 3 4 | 5 6 | 7 | 8 9 | 10 | OTHER | |
| | NEW STATION ID (if needed): | | | | | | | | | | |
| | RIPARIAN ZONE STATION ID: | Α | В | С | D | E | F | G | Н | ı | J |
| | EGETATION TYPE CANOPY LAYER (> 5 M) | | | | | | | | | | |
| | D= DECID., C=CONIF., M=MIXED UNDERSTORY (0.5 to 5 M) | | | | | | | | | | |
| AREA | L COVERAGE CATEGORIES 0 = ABSENT 1 = SPARSE (<10%) 2 = MODI | ERATE (1 | I 0 то 40 |)%) 3= | HEAVY | (40 то 7 | 5%) 4 | = VERY | HEAVY (| (> 75% <u>)</u> | |
| CANOPY LA | YFR TREES ≥ 0.3 M DBH | | | | | | | | | | |
| (> 5 M HEIG | | | | | | | | | | | |
| UNDERSTO | WOODY SHRUBS & SAPLINGS | | | | | | | | | | |
| (Неіднт=0.5 т | o 5 M) TALL HERBS, FORBS, & GRASSES | | | | | | | | | | |
| | WOODY SHRUBS & SEEDLINGS | | | | | | | | | | |
| GROUND CO | | | | | | | | | | | |
| (< 0.5 M HEIO | STANDING WATER OR INUNDATED VEGETATION | | | | | | | | | | |
| | Barren or Buildings | | | | | | | | | | |
| | BEDROCK (> 4000 MM; BIGGER THAN A CAR) | | | | | | | | | | |
| | BOULDERS (250 - 4000 mm; BASKETBALL - CAR SIZE) | | | | | | | | | | |
| | COBBLE/GRAVEL (2 - 250 MM; LADYBUG - BASKETBALL SIZE) | | | | | | | | | | |
| SHORELII SUBSTRA ZONE | | | | | | | | | | | |
| ZONE | OTHER FINE SOIL/SEDIMENT (< 0.06 MM; NOT GRITTY) | | | | | | | | | | |
| | VEGETATED | | | | | | | | | | |
| | OTHER (EXPLAIN IN COMMENTS) | | | | | | | | | | |
| | ANGLE: V = NEAR VERTICAL/UNDERCUT, S = 30-75°, G =<30° | | | | | | | | | | |
| BANK FEATURES | VERTICAL DISTANCE (M) FROM WATERLINE TO HIGH-WATER MARK | | | | | | | | | | |
| (WITHIN PLOT) | Horizontal Distance (m) from Waterline to High-water Mark | | | | | | | | | | |
| HUMAN IN | FLUENCE $0 = ABSENT$ CHECK $(\checkmark) = F$ | PRESEN | T WITHI | N PLOT | B: | = OBSEF | RVED A | DJACEN | IT TO O | R BEHIN | D PLOT |
| | Buildings | | | | | | | | | | |
| | COMMERCIAL | | | | | | | | | | |
| | PARK FACILITIES DOCKS/BOATS | | | | | | | | | | |
| | WALLS, DIKES, OR REVETMENTS | | | | | | | | | | |
| | LITTER, TRASH DUMP, OR LANDFILL | | | | | | | | | | |
| | Roads or Railroad | | | | | | | | | | |
| | Row Crops | | | | | | | | | | |
| | Pasture or Hayfield | | | | | | | | | | |
| | Orchard | | | | | | | | | | |
| | LAWN | | - | | | | | - | | | |
| FLAG CODES: | OTHER (EXPLAIN IN COMMENTS) K = MEASUREMENT OR OBSERVATION NOT OBTAINED; U = SUSPECT M | IEASURE | MENT O | R OBSER | VATION | | | | | | |

F1, F2, ETC. = MISC. FLAGS ASSIGNED BY EACH FIELD CREW. EXPLAIN ALL FLAGS ON SEPARATE COMMENTS FORM.

| REVIEWED BY (INITIAL): |
|------------------------|
|------------------------|

| LAKE ID: L PHYSICAL HABITAT CHARACTE | RIZAT | TION F | ORM | (cont | inued |) | | VISIT | г#: 1 | 2 |
|---|---------|----------|-------------------------|-----------------|-----------------|------------------|----------|---------|---------------------|------------|
| NEW STATION ID (if needed): | | | | | | | | | | |
| LITTORAL ZONE STATION ID: | Α | В | С | D | Е | F | G | Н | ı | J |
| STATION DEPTH (M) AT 10 M OFFSHORE | | | | | | | | | | |
| SURFACE FILM TYPE (S=Scum, A=ALGAL MAT, P=OILY, N=None/OTHER) | | | | | | | | | | |
| BOTTOM SUBSTRATE: Areal coverage: 0=Absent 1=Sparse (<10%) 2 | 2=Mode | RATE (1 | 0 то 40 ° | %) 3=HE | AVY (40 |) то 75 % | ⁄₀) 4=VE | RY HEA\ | /Y (>75 % | %) |
| Bedrock (>4000 mm; larger than a car) | | | | | | | | | | |
| Boulders (250 - 4000 mm; basketball - car size) | | | | | | | | | | |
| Cobble (64 - 250 mm; tennis ball - basketball size) | | | | | | | | | | |
| GRAVEL (2 TO 64 MM; LADYBUG TO TENNIS BALL SIZE) | | | | | | | | | | |
| SAND (0.06 TO 2 MM; GRITTY BETWEEN FINGERS) | | | | | | | | | | |
| SILT. CLAY, OR MUCK (< 0.06 MM; NOT GRITTY) | | | | | | | | | | |
| WOODY DEBRIS | | | | | | | | | | |
| COLOR (BL=BLACK, GY=GRAY, BR=BROWN, RD=RED, N=NONE OR OTHER) | | | | | | | | | | |
| Odor (S=H ₂ S, A=Anoxic, P=Oil, C=Chemical, N=None) | | | | | | | | | | |
| MACROPHYTES AREAL COVERAGE: 0=Absent 1=Sparse (<10%) 2=M | /ODERA | TE (10 T | o 40 %) | 3=HEAV | ү (40 то | 75%) 4 | =VERY | HEAVY(| >75%) | |
| Submergent | | | | | | | | | | |
| EMERGENT | | | | | | | | | | |
| FLOATING | | | | | | | | | | |
| Total Weed Cover | | | | | | | | | | |
| Do Macrophytes extend lakeward? (Y or N)? | | | | | | | | | | |
| FISH COVER 0=ABSENT 1=PRESENT BUT SPARSE 2=PRESE | NT IN M | ODERAT | E TO V EI | RY H EAV | Y DENS | ITY | | | | |
| AQUATIC WEEDS | | | | | | | | | | |
| SNAGS > 0.3 M DIAMETER | | | | | | | | | | |
| Brush or Woody Debris < 0.3 m diameter | | | | | | | | | | |
| INUNDATED LIVE TREES > 0.3 M DIAMETER | | | | | | | | | | |
| OVERHANGING VEGETATION < 1 M ABOVE SURFACE | | | | | | | | | | |
| ROCK LEDGES OR SHARP DROPOFFS | | | | | | | | | | |
| Boulders | | | | | | | | | | |
| | | | | | | | | | | |
| HUMAN STRUCTURES (E.G., DOCKS, LANDINGS, PILINGS, RIPRAP, ETC.) | | | | | | | | | | |
| LITTORAL FISH HABITA | T CLAS | SIFICA | TION | | | | | | | |
| DISTURBANCE (H=HUMAN N=NATURAL M=MIXED) | | | | | | | | | | |
| COVER CLASS (C=COVER, O=OPEN, M=MIXED) | | | | | | | | | | |
| COVER TYPE (A=ARTIFICIAL F=FILL V=VEG. W=WOODY B=BOULDERS M=MIXED N=NONE) | | | | | | | | | | |
| SUBSTRATE (M=Mud/Muck, S=Sand/Gravel, C=Cobble/Boulder, B=Bedrock) | | | | | | | | | | |
| GEAR (G=GILL NET, T=TRAP NET, S=SEINE, 0=NONE) | | | | | | | | | | |
| GEAR LOCATION (DIST. & DIR. TO NEAREST REPRES. MACROHABITAT) | | | | | | | | | | |

FLAG CODES: K = MEASUREMENT OR OBSERVATION NOT OBTAINED; U = SUSPECT MEASUREMENT OR OBSERVATION;

F1, F2, ETC. = MISC. FLAGS ASSIGNED BY EACH FIELD CREW. EXPLAIN ALL FLAGS ON SEPARATE PHYSICAL CHARACTERIZATION HABITAT COMMENTS FORM.

| R | ΈV | ΙΕV | VED | RV | (INITIA | ١)٠ | |
|---|-----|-----|-----|----|---------|-----|--|
| п | L V | ι⊏ν | ᄱᄆ | DТ | CHNI HA | LI. | |

| | | | PHY | SICA | L HA | BITA | T CH | IARA | CTE | RIZA | NOITA | COMN | IENT | FORI | M | Page _ | 0 | f _ | |
|------------|-----------|---------|---------|--------|---------|----------|---------|-------------------|-------|----------|------------|-----------|------|---------|--------|---------|-------------|-----|---|
| LAKE ID: | | | | L | | | | | | | | | | | | VISIT : | #: 1 | | 2 |
| TEAM ID | (circle): | 1 | 2 | 3 | 4 | 5 6 | 7 | 8 | 9 | 10 | отн | ER: | | | | | | | |
| STATION ID | | SECTI | ON OF | FORM | | | | UREMEN ARIABLE | | | FLAG | | Сом | MENT OR | FLAG E | EXPLANA | ION | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | \vdash | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | 1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| LAG CODES: | K – NO ME | VGIIDEN | MENT OF | D ODGE | DVATION | ATTEMD. | ren: II | - CIICDE | CT ME | A CLIDEA | MENT OR OF | DEEDWATIC | NI: | | | | | | |

F1, F2, ETC. = MISC. FLAGS ASSIGNED BY EACH FIELD CREW.

CHECK HERE IF INFORMATION IS RECORDED ON OTHER SIDE OF FORM _______

REVIEWED BY (INITIAL): ______

| LAKE ID: | L | PHYSICAL HABITAT CHARACT COMMENTS FORM (cont | N VISIT #: 1 2 | |
|------------|-----------------|---|----------------|-----------------------------|
| STATION ID | SECTION OF FORM | MEASUREMENT OR VARIABLE | FLAG | COMMENT OR FLAG EXPLANATION |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

CHECK HERE IF AN ADDITIONAL COMMENTS FORM IS USED _____

Flag Codes: K = no measurement or observation attempted; U = suspect measurement or observation; F1, F2, ETC.= misc. flags assigned by each field crew.

REVIEWED BY (INITIAL): _____

| PHYSICAL HABITAT SKETCH MAP FORM-LAKES | | | | | | | | | | | | | | | |
|---|-------|--------|--------|--------|---------|------|--------|----------|---------|----------|--------------------|----------------------------------|-------------------------------|--------------------|-----------|
| LAKE NAME: | | | | | | | | | | | | | VISIT#: | 1 | 2 |
| LAKE ID: | | | _ L | | | S | TART | TIM | E: | | : | END TIME | ≣: | : | |
| TEAM ID (circle): | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | OTHER: | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Sketch and label riparian, in-lake, shoreline, and littoral fish habitats around the lake, using codes below. To identify littoral fish habitats on the map, compose a four-character code as: (Disturbance) (Cover class) (Cover type) (Substrate type). EXAMPLE: NCVS for Natural, Cover, Vegetated, Sand/Gravel. | | | | | | | | | | | | | | | |
| RIPARIAN AND IN-LAKE Dock(s); MNA = Marina; macrophytes; SBM = Su | CRP = | Cropla | and; P | TR = P | asture; | LFL: | = Land | lfill/Du | ımp; Il | ND = Inc | dustry; MNG = Mini | rest; ALT = Alt ng; LGG = Log | ered shorelir gging; FLM = | ne; DCI Floatir | K = ng |

MAP OF FISH SAMPLING SITES ON BACK

LITTORAL FISH HABITAT CODES: (DISTURBANCE): Human, Natural, Mixed. (COVER CLASS): Cover, Open, Mixed. (COVER TYPE): Artificial structure, Fill, Vegetated, Woody, Boulders, Mixed, None. (SUBSTRATE TYPE): Mud/Muck, Sand/Gravel, Cobble/Boulders, Bedrock.

REVIEWED BY (INITIAL):____

| LAKE ID: | L PHYSICAL HAE | BITAT SKETCH M | AP FORM (continued) | VISIT #: 1 2 |
|---------------------|--|------------------|---|--------------|
| | USE THIS MAP TO LOCATE LITTO | RAL MACROHAE | ITAT TYPES AND FISH SAMPLING SITES | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | MPLING STATIONS AND GEAR TYPE | C - CHORT CEINE | EVAMBLE, E4C E2T ETC.) | |
| IF A SITE IS SELECT | TRAP NET, M = MINNOW TRAP, B = BEACH SEINE ED FOR ADDITIONAL STANDARD PROTOCOL OR J | UDGEMENT SAMPLII | NG, ADD AN "X" OR "J" TO THE STATION AND GEAR | TYPE CODES. |
| EXAMPLE: F10G | X, F4BJ, ETC. | | | |
| | MACROHABITAT CLA | SSIFICATIO | N AND EXTENT SUMMARY | |
| MACROHAB. | | | | |
| CLASS (XXXX) | %EXTENT(s) AND TOTAL | STATIONS | COMMENTS | |
| | = % | | | |
| | = % | | | |
| | = % | | | |
| | = % | | | |
| | = % | | | |
| | = % | | | |
| | | 1 | | |

REVIEWED BY (INITIAL):____

| | | | FISH TAI | LLY FORM-I | LAKES | | Page _ | of |
|---------------|-------------------|---|-------------------|--------------|---------------------------|----------------|------------------|---------------------------|
| LAKE NAME | : | | | | | | VISIT#: | 1 2 |
| LAKE ID: _ | | L | TEAM ID (| circle): 1 | 2 3 4 | 5 6 7 8 | 9 10 O | THER: |
| NEAREST P-HA | AB STATION (A - J | , X): DIS | T. & DIR. FROM ST | ΓΑΤΙΟΝ: | | S | ITE ID: F | |
| | | | SAMPLING | EFFORT INFO | RMATION | | | |
| START CRE | W INITIALS: _ | , , | | END CR | EW INITIALS: | | | |
| START DAT | E: | _11 | | END DA | TE: | / | / | |
| START TIME | <u> </u> | _: | | END TIM | 1E: | : | | |
| | | | LITTORAL HA | BITAT CLASS | SIFICATION | | | |
| MACROHAB. C | LASS (FROM SKET | CH MAP FORM): | | | MICRO | HAB. CLASS (FO | R FISHING SITE): | |
| | | PELA | AGIC HABITAT | CLASSIFICA | TION (circle o | ne) | | |
| Iso | Hypolim | IION | | | | | | |
| | | SA | MPLING GEA | R INFORMATI | ON (circle one | e) | | |
| | GILL NET | TRAP N | ET MINNOW TRA | AP BEACH SE | EINE SHO | RT SEINE | OTHER (S | PECIFY): |
| TYPE OF GIL | L NET SET (CIRC | CLE): | | TOTAL AREA | SEINED: | M ² | | |
| - | IDWATER/ BO | моттом | | TOTAL NUMB | ER OF SEINE HAULS | S = | | |
| FISHING DE | PTHS: | Мінімс | JM: | м V | laximum: | M | | |
| COMMENTS | S: | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| JAR ID (Barco | ode): | | TAC | CHE | CK HERE IF N | NO FISH WER | E COLLECT | ED: |
| Common Name | | | | | E: | | FLAG: | |
| Common Hame | • | | | | L | | I LAG. | |
| Adult | | | Juvenile | | | YOY | | |
| TOTAL | MUSEUM | # M EASURED FOR L ENGTH: | TOTAL | MUSEUM | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: |
| Common Name | : : | | | SPECIES CODI | E: | | FLAG: | |
| Adult | | | Juvenile | | | YOY | | |
| TOTAL | MUSEUM | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | MUSEUM | # MEASURED FOR LENGTH: |

REVIEWED BY (INITIAL):

Rev. 3/95 FLDFRMS.95(G) Fish Tally Form - Lakes - 1

| LAKE ID: | L | | FISH TA | LLY FORM | /I (cor | ntinued) s | SITE ID: F VISIT #: 1 2 | | | |
|----------------|-----------------|---|-------------------------|-------------|----------|---------------------------|-------------------------|----------------|---------------------------|--|
| Common Nan | ne: | | | SPECIES | Codi | E: | | FLAG: | | |
| Adult | | | Juvenile | | | | YOY | | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Museu | JM | # MEASURED FOR LENGTH: | TOTAL | MUSEUM | # MEASURED FOR LENGTH: | |
| Common Nam | ne: | | | SPECIES | Сорі | E: | | FLAG: | | |
| Adult | | | Juvenile | | | | YOY | | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Museu | JM | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: | |
| Common Nam | ne: | | | Species | Сорі | E: | | FLAG: | | |
| Adult | | | Juvenile | | | | YOY | | | |
| TOTAL | MUSEUM | # MEASURED FOR LENGTH: | TOTAL | Museu | JM | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: | |
| | IF > 5 | SPECIES ARI | E COLLECTE | D, CHEC | (HEF | RE AND USE A | A TALLY CON | TINUATION | FORM | |
| IS THERE E | VIDENCE OF | STOCKING (c | ircle)? | YES | NO | | | | | |
| SPECIES | CODE | ANOMALY/ STOCKING COE | # OF FISH | FLAG | Sı | PECIES CODE | ANOMALY STOCKING C | OF SH FLAG | | |
| | | | | | | | | | | |
| X = Multiple I | D,E,L,T anom | DES: D = Defo alies; B = Blin xternal parasit | d in one or b | oth eyes; | K = | Emaciated; N | 1 = Excessive | | = Fungus; | |
| FLAG | | | | | IMEN | • | <u> </u> | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| FLAG CODES: K | √=No Measuremen | IT OR OBSERVATION N | MADE; U = SUSPEC | T MEASUREME | ENT OR (| OBSERVATION: F1. | F2, ETC.= MISC. F | FLAGS ASSIGNED | BY FIELD CREW. | |
| | | TION. ATTACH SEPAR | | | | , -, | | /IEWED BY (IN | | |

Rev. 3/95 FLDFRMS.95(G) Fish Tally Form - Lakes - 2

| | FISH | TALLY CONTINUATION FORM-LAKES | Page of | |
|----------|------|-------------------------------|------------|---|
| LAKE ID: | L | SITE ID: F | VISIT #: 1 | 2 |

| טאול שו אואני (טמוכי | R ID (Barcode): TAG ID: | | | | | | | | | |
|-------------------------------------|-------------------------|---------------------------|-------------------|-------------------------------|---------------------------|-----------|-----------------|---|--|--|
| Common Nam | e: | | | SPECIES CODE: | | | FLAG: | | | |
| Adult | | | Juvenile | | | YOY | | | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Museum | # M EASURED FOR L ENGTH: | | |
| Common Nam | e: | | | SPECIES CODE: | | | FLAG: | | | |
| Adult | | | Juvenile | | | YOY | | | | |
| TOTAL MUSEUM # MEASURED FOR LENGTH: | | | TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Миѕеим | # M EASURED FOR L ENGTH: | | |
| Common Nam | Common Name: | | | SPECIES CODE: | | | FLAG: | | | |
| Adult | | | Juvenile | | | YOY | | | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Миѕеим | # MEASURED FOR LENGTH: | | |
| 0 1 | | | | | | | | | | |
| Common Nam | e: | | | SPECIES CODE: | | | FLAG: | | | |
| Common Nam | e: | | Juvenile | SPECIES CODE: | | YOY | FLAG: | | | |
| | e: Museum | #MEASURED FOR LENGTH: | Juvenile Total | SPECIES CODE: | # MEASURED FOR LENGTH: | YOY TOTAL | FLAG: | # MEASURED FOR LENGTH: | | |
| Adult | Museum | | | | | | | | | |
| Adult | Museum | | | Museum | | | Museum | | | |
| Adult TOTAL Common Nam | Museum | | TOTAL | Museum | | TOTAL | Museum | | | |
| Adult TOTAL Common Nam Adult | MUSEUM e: MUSEUM | FOR LENGTH: | TOTAL | MUSEUM SPECIES CODE: | FOR LENGTH: | TOTAL | Museum FLAG: | FOR LENGTH: | | |
| Adult TOTAL Common Nam Adult TOTAL | MUSEUM e: MUSEUM | FOR LENGTH: | TOTAL | MUSEUM SPECIES CODE: MUSEUM | FOR LENGTH: | TOTAL | MUSEUM FLAG: | FOR LENGTH: | | |

CHECK HERE IF INFORMATION IS RECORDED ON OTHER SIDE OF FORM: _______
REVIEWED BY (INITIAL): ______

| LAKE ID: | L | - | FISH TALLY C | ONTINUAT | ION FO | RM (continued) | SITE ID: F | v | ISIT #: 1 2 |
|-----------------|--------------|--|----------------|-----------------------|---------------------------|--|---------------------------|----------------|--------------------------|
| Common Nam | e: | | | SPECIE | s Codi | E: | | FLAG: | |
| Adult | | | Juvenile | | | | YOY | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Muse | EUM | # MEASURED FOR LENGTH: | TOTAL | Миѕеим | # MEASURED FOR LENGTH |
| Common Nam | e: | _ | | SPECIE | s Codi | ====================================== | | FLAG: | |
| Adult | | | Juvenile | - | | | YOY | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | | | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED | |
| Common Nam | e: | <u> </u> | | SPECIE | s Codi | <u> </u> | <u> </u> | FLAG: | |
| Adult | | | Juvenile | • | | | YOY | | |
| TOTAL | Museum | # MEASURED FOR LENGTH: | TOTAL | Muse | EUM | # MEASURED FOR LENGTH: | TOTAL | Museum | # MEASURED |
| SPECIES | CODE | ANOMALY/ STOCKING COD | # OF E FISH | FLAG | FLAG SPECIES CODE | | ANOMALY/ STOCKING CODI | # OF E FISH | FLAG |
| X = Multiple D |),E,L,T anon | ODES: D = Defo nalies; B = Blin external parasit | d in one or be | oth eyes r (explai | ; K = | Emaciated; Momments); S | <i>I</i> I = Excessive n | | Fungus; |
| | | | | | | | | | |
| | | | | | | | | | |
| Q = UNACCEPTA | BLE QC CHEC | SUREMENT OR OBS | | | | | | | W. EXPLAIN |
| ALL FLAGS IN CO | OMMENTS SEC | TION. | | | | | Revie | WED BY (INITIA | AL): |

| | PA | GE of _ | | | | | | |
|------------|---------------------|--|-------------------------|----------------------------|----------------------------|---------|-----------------|--------|
| LAKE NAMI | E: | | | | | | VISIT #: 1 | 2 |
| LAKE ID: _ | | _ L TEAM ID (ci | rcle): 1 | 2 3 4 | 5 6 7 | 8 9 | 10 OTHER: _ | |
| SITE ID | SPECIES CODE | COMMON NAME | TOTAL LENGTH (mm) | AGE CLASS (A, J, Y)* | O F U L T A (✓) G | | COMMENTS | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | 1 | | |
| | | | | | | | | |
| A AD | 11175111 F. A.S.Y | CHECK HERE IF ADDIT | TIONAL DA | TA ARE R | ECORDE | D ON RE | VERSE SIDE: | |
| | = JUVENILE; AND Y = | : YOUNG OF YEAR MENT COLLECTED: - SUSPE | CT MEASUDE | MENT: F1 | F2 ETC - | MISC EL | ACS ASSIGNED BY | EIEI D |

FLAG CODES: K = NO MEASUREMENT COLLECTED; U = SUSPECT MEASUREMENT; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. EXPLAIN ALL FLAGS IN COMMENTS SECTION.

| D | /1 \ | |
|---------------|---------|----|
| REVIEWED BY | INITIAL | ١. |
| IXEVIEVVED DI | | |

| LAKE ID: _ | | | VISIT #: 1 2 | | | | |
|------------|--------------|-------------|-------------------------|----------------------------|---------|---------|----------|
| SITE ID | SPECIES CODE | COMMON NAME | TOTAL LENGTH (mm) | AGE CLASS (A, J, Y)* | 0 U F S | F L A G | COMMENTS |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

CHECK HERE IF AN ADDITIONAL FISH LENGTH FORM IS USED FOR THIS LAKE: $_$

Rev. 3/95 FLDFRMS.95(G) Fish Length Form - Lakes - 2

^{*} A = ADULT; J = JUVENILE; AND Y = YOUNG OF YEAR.

FLAG CODES: K = NO MEASUREMENT COLLECTED; U = SUSPECT MEASUREMENT; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. EXPLAIN ALL FLAGS IN COMMENTS SECTION.

REVIEWED BY (INITIAL):_______

| LAKE NAME: DATE PREPARED: I VISIT #: 1 2 LAKE ID: L TEAM ID (circle): 1 2 3 4 5 6 7 8 9 10 OTHER: SPECIES CODE COMMON NAME TOTAL WEIGHT FLAG SAMPLE ID (BARCODE) 1 2 3 4 5 6 7 8 9 10 OTHER: SAMPLE ID (BARCODE) 1 2 3 4 5 6 7 8 9 10 OTHER: SAMPLE ID (BARCODE) 1 2 3 4 5 6 7 8 9 10 OTHER: SAMPLE ID (BARCODE) 1 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | FISH TISSUE SAMPLE TRACKING FORM-LAKES | | | | | | | | | | | |
|--|-------|--|-----------------|-----------------------|-----------------|---------|-------|----------------|----------|-------|-------------|---|--|
| SPECIES CODE COMMON NAME TOTAL LENGTH (MS) FLAG (DARCODE) (DARCODE) (DARCODE) (DARCODE) (DARCODE) SAMPLE ID (DARCODE) (DARCODE) (DARCODE) (DARCODE) SAMPLE ID (DARCODE) (DARCO | LAKE | NAME: | | | DATE PREF | PARED: | 1 | 1 | | VISIT | #: 1 | 2 | |
| SPECIES CODE COMMON NAME SPECIES CODE COMMON NAME SPECIES CODE COMMON NAME SPECIES CODE SAMPLE D (BARCODE) FLAG (BARCODE) FLAG (BARCODE) FLAG (BARCODE) FLAG SAMPLE D (BARCODE) FLAG SAMPLE D FLAG SAMPLED TOTAL # OF STATIONS SAMPLED: CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LINE# FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | LAKE | ID: | L | TEAM ID (circle): | 1 2 3 | 4 5 | 6 7 | 8 | 9 | 10 | OTHER:_ | | |
| SPECIES CODE COMMON NAME (ww) (ww) FLAG (BARCODE) FLAG (BARCODE) FLAG (BARCODE) FLAG (BARCODE) FLAG COMMON NAME (ww) FLAG COMMON NAME (ww) FLAG (BARCODE) FLAG COMMON NAME COMMON NAME (ww) FLAG COMMON NAME COMMON NA | | | | | TOTAL | WEIGHT | | | | SAM | PLE ID | | |
| 2 3 4 4 5 5 6 6 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | | SPECII | ES CODE | COMMON NAME | | | FLAG | | | | | | |
| 3 4 5 6 6 6 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | 1 | | | | | | | <u> </u> | | | | | |
| 4 | 2 | | | | | | | <u> </u> | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LINE # FLAG CODDES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | 3 | | | | | | | } — | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | <u> </u> | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE# FLAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | <u> </u> | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE# FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | - | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE# FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | <u> </u> | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE# FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. KPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | <u> </u> | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE# FLAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. RPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | · —— · | | |
| 12 | | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. RPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. RPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG COMMENT OR FLAG EXPLANATION CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG | 16 | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG | 17 | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG | 18 | | | | | | | | | | | | |
| # OF STATIONS FROM WHICH FISH TISSUE CANDIDATE SPECIMENS WERE COLLECTED: TOTAL # OF STATIONS SAMPLED: LINE # FLAG | 19 | | | | | | | | | | | | |
| CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | 20 | | | | | | | | | | | | |
| CHECK HERE IF MORE DATA ARE RECORDED ON OTHER SIDE: LAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | # OF STATIONS FROM WH | ICH FISH TISSUI | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | LINE# | FLAG | | СОММЕ | NT OR FLAG | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | | | | | | | | | | |
| LAG CODES: $K = NO$ SAMPLE COLLECTED; $U = SUSPECT$ SAMPLE; $F1. F2$, $ETC. = MISC.$ FLAGS ASSIGNED BY FIELD CREW. XPLAIN ALL FLAGS IN COMMENTS SECTION. | | | | ALIFA VIII - | | ATA 45- | DEGGE | D=- | <u> </u> | | ED 0155 | | |
| XPLAIN ALL FLAGS IN COMMENTS SECTION. | LAGC | ODES: K = N | O SAMPLE COLLEC | | | | | | | | | | |
| ₩E\/IE\/IED DV (I/IITIA) I· | | | | | • | | | | | | | | |

| LAKE | ID: | L | FISH TISSUE SAMPL | | ORM | DA | NATE PREPARED: / / VISIT #: 1 2 | | | |
|-------|------|-----------|-------------------|-------------------------|----------------|-------|---------------------------------|--|--|--|
| | SPE | CIES CODE | COMMON NAME | TOTAL LENGTH (MM) | WEIGHT (kg) | FLAG | SAMPLE ID (BARCODE) | | | |
| 1 | | | | | | | | | | |
| 2 | | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| LINE# | FLAG | G | COMME | NT OR FLAC | EXPLANA | ATION | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

FLAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC. = MISC. FLAGS ASSIGNED BY FIELD CREW. EXPLAIN ALL FLAGS IN COMMENTS SECTION.

REVIEWED BY (INIITIAL):_____

| SAMPLE COLLECTION FORM-LAKES | | | | | | | | | | | | | | | | | |
|------------------------------|---|--------|------------------|----------------|--------|----------|----------------|---------------------------------|----------|------------|------------|--------|---|--------|----------------|---|---|
| LAKE NA | ME: | | | | | | DA | TE C | OF COL | _LE | CTION: | | 1 | 1 | VISIT#: | 1 | 2 |
| LAKE ID: | | | | _ L | | | | | | | SITE ID | (cir | cle): | INDEX | OTHER: | | |
| TEAM ID | (circle) | : | 1 2 | 3 4 | 5 | 6 | 7 | 8 | 9 | 10 | ОТН | HER: | <u> </u> | _ | | | |
| | | | | | SE | ССНІ | DISK | TRA | NSPA | REN | NCY | | | | | | |
| | | | | | | CLEAR TO | | | | | | | | | | | |
| DEPTH DISK | DISSAPPE | | ДЕРТН D I | SK REAPPEAR | | ттом (| X) | | | | | (| Сомме | NTS | | | |
| · | | M | | | M | | | | | | , | | , | | | | |
| OAMBI E | ID # | | AMDI E | | | MISTE | ₹ <u>Y (4-</u> | L C | JBITAINE | ER AI | ND 4 SYR | RINGE | :s) | | | | |
| SAMPLE (Barco | | | AMPLE TYPE | DEPT COLLEC | | FLA | \G | | | | | c | ОММЕ | ENTS | | | |
| | | R1 | | | М | | | | | | | | | | | | |
| | | | | | М | | | | | | | | | | | | |
| | CHLOROPHYLL (TARGET VOLUME = 500 ML) | | | | | | | | | | | | | | | | |
| | SAMPLE ID # SAMPLE DEPTH SAMPLE (Barcode) TYPE COLLECTED VOLUME FLAG COMMENTS | | | | | | | | | | | | | | | | |
| (Багсо | ue) | COLLEC | M | | | | | | | COMME | NIS | | | | | | |
| | | R1 | | | М | | | ıL | | | | | | | | | |
| | | | | 700 | DI ANK | TON | (Fult | - M | VDK ON | Bot | TTLE = 80 |) MI) | \ | | | | |
| MESH | SA | MPLE | E ID # | SAMPLE | | GTH | | | AINERS | D O | | | <u>, </u> | | | | |
| SIZE | | Barco | | TYPE | | row | | NO. PRESERVED (✓) FLAG COMMENTS | | | | | OMMENTS | | | | |
| COARSE | | | | R1 | - | M | | | | | | | | | | | |
| FINE | | | | R1 | | М | | | | | | | | | | | |
| | | _ | | | | М | | | | | | | | | | | |
| | | | <u> </u> | | | М | | | | | | | | | | | |
| | | | SE | DIMENT C | ORE S | AMPI | LES (1 | TARG | GET CO | RE L | ENGTH = | 35 т | o 40 (| см) | | | |
| Collected a | t (circle): | INI | DEX C | THER | If OT | HER, re | cord di | irecti | on and o | distar | nce from I | NDEX | (site: | | | | |
| SAMPLE | | | ID# | SAMPLE | LENG | = | | | RVAL | | | | | | | | |
| CLASS (Barcode) TYPE | | | | | COF | | From | | То | | FLAG | | | CC | <u>OMMENTS</u> | | |
| | TOP R1 | | | | | СМ | | СМ | | СМ | | _ | | | | | |
| BOTTOM | | | | R1 | | СМ | | СМ | | СМ | | | | | | | |
| | | | | | | СМ | | СМ | | СМ | | _ | | | | | |
| LAG COD | ES: K | = N | O MEASUR | EMENT OR S | AMPI F | COLLE | CTED: | см U = | SUSPE | см | /FASURF | MENT | ORS | AMPI F | | | |
| | AG CODES: K = No measurement or sample collected; U = Suspect measurement or sample; F2, etc. = Misc. flags assigned by each field crew. Explain all flags in comments section. | | | | | | | | | | | | | | | | |

REVIEWED BY (INITIAL):_____

| BENTHOS SAMPLE LOCATION AND COLLECTION FORM-LAKES | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|
| LAKE NAME: | DATE OF COLLECTION: / / VISIT #: 1 2 | | | | | | | | | | |
| LAKE ID: | | | | | | | | | | | |
| | OUTLINE MAP OF LAKE (WITH PHYSICAL HABITAT STATIONS IDENTIFIED) | | | | | | | | | | |
| INDICATE LOCAT | ATIONS WHERE BENTHIC CORE SAMPLES ARE COLLECTED WITH THE LETTER OF THE NEAREST PHYSICAL HABITAT SITE (A - J). | | | | | | | | | | |
| ARROW INDICATES NORTH. | RECORD THE SHALLOWER OF THE FOLLOWING DEPTHS (FROM LAKE PROFILE FORM) A) THE DEPTH OF TOP OF METALIMNION OR B) THE DEEPEST DEPTH AT WHICH DISSOLVED OXYGEN 2 5 MG/L TARGET DEPTH | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| COMMENTS: | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | REVIEWED BY (INITIAL): | | | | | | | | | | |

| BENTHOS SAMPI | LE LOCATI | ON AND COLLE | CTION FORM (C | CONTINI | UED) VISIT #: 1 2 |
|-----------------------------|---------------|--------------------|--------------------------------|-------------------|---------------------------------|
| LAKE ID: | ı | | | | DATE OF COLLECTION: / / |
| RECORD SAMPLING START TIME: | | | : | Reco | ORD PROCESSING COMPLETION TIME: |
| SAMPLE ID # (Barcode) | STATION ID | DEPTH COLLECTED | SUBSTRATE TYPE ^a | FLAG ^b | COMMENTS |
| | Α | М | | | |
| | В | М | | | |
| | С | М | | | |
| | D | М | | | |
| | E | М | | | |
| | F | М | | | |
| | G | М | | | |
| | Н | М | | | |
| | 1 | М | | | |
| | J | М | | | |
| | | М | | | |
| | | М | | | |
| | | М | | | |
| | | М | | | |
| | | М | _ | | |

^aSUBSTRATE TYPE CODES: G = GRAVEL; S = SAND; C = SILT CLAY, OR MUCK; W = WOODY DEBRIS; O = OTHER

(DESCRIBE IN COMMENTS) b FLAG CODES: K = NO SAMPLE COLLECTED; U = SUSPECT SAMPLE; F1. F2, ETC.= MISC. FLAGS ASSIGNED BY EACH FIELD CREW. EXPLAIN ALL FLAGS IN COMMENTS SECTION.

| | ZEBRA MUSSEL OBSERVATION AND COLLECTION | | | | | | |
|---------|---|-----------------|----------|--|--|--|--|
| STATION | OBSERVED (Y/N) | COLLECTED (Y/N) | Comments | | | | |
| Α | | | | | | | |
| В | | | | | | | |
| С | | | | | | | |
| D | | | | | | | |
| Е | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| Н | | | | | | | |
| I | | | | | | | |
| J | | | | | | | |
| LAUNCH | | | | | | | |
| OTHER | | | | | | | |

REVIEWED BY (INITIAL):__

| | LAKE ASSESSMENT FORM | | | | | | | |
|--|--|---------------------------------|----------------------------|------------------|--------------------------|------------------|--------------------------|--|
| LAKE NAME: | | DATE OF VISIT: / / VISIT #: 1 2 | | | | | VISIT #: 1 2 | |
| LAKE ID: | | _L | TEAM ID (circle): | 1 2 3 | 4 5 | 6 7 | 8 9 10 OTHER: | |
| LAKE SITE ACT | LAKE SITE ACTIVITIES AND DISTURBANCES OBSERVED (INTENSITY: BLANK = NOT OBSERVED, L = LOW, M = MODERATE, H = HEAVY) | | | | | | | |
| RESIDENTIAL | | RECREATIONAL | AGRICULTURAL | | DUSTRIAL | | LAKE MANAGEMENT | |
| RESIDENCES | PARKS, CAN | IPGROUNDS, BEACHES | CROPLAND | INDUSTRIA | L PLANTS | | MACROPHYTE CONTROL | |
| MAINTAINED LAWNS | PRIMITIVE P | ARKS, CAMPING, BEACHES | PASTURE | Mines/Qu | ARRIES | | LIMING | |
| Construction | RESORTS | | LIVESTOCK | Power Lii | NES | | DRINKING WATER TREATMENT | |
| PIPES, DRAINS | MARINAS | | | Power Pi | ANTS | | Angling Pressure | |
| TREATMENT PLANT | Trash/Litte | | | LOGGING | _ | | | |
| LANDFILL, DUMPING | SURFACE FII | LMS, SCUMS, OR SLICKS | | EVIDENCE | OF FIRE | | | |
| | | | | ODORS | | | | |
| | | GENE | RAL LAKE INFORM | IATION | | | | |
| HydroLe | OGIC LAKE TY | PE G RESERVOIR | G DRAINAGE (OUTLETS PRESEN | т) | G SEEPAGE | (Νο Ο υτ∟ | ets Observed) | |
| | OUTLET DAI | MS G NONE | G ARTIFICIAL | | G NATURAL | L | | |
| Low Elevation F | FLIGHT H AZAR | DS G YES | G No | | | | | |
| Мото | R BOAT DENSI | ту С нісн | G Low | | G RESTRICTED G BANNED | | | |
| GENERAL AESTHETICS G PLEASANT G | | | G SOMEWHAT PLEASANT | | G UNPLEAS | SANT | | |
| SWIMMABILITY G GOOD G | | | G FAIR | | G NOT SWI | IMMABLE | | |
| Lake | LEVEL CHANG | es G _{Zero} | G ELEVATION CHANGE = | м | | | | |
| | | SHORELINE C | HARACTERISTICS (| (% of shoreli | ne) | | | |
| Fc | DREST/SHRUB | G RARE (<5%) | Sparse (5 to 25%) | G MODERATE (25 1 | го 75%) | G Ext | TENSIVE (> 75%) | |
| , | AGRICULTURE | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | ro 75%) | G Ext | TENSIVE (> 75%) | |
| | OPEN GRASS | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | ro 75%) | G Ext | rensive (>75%) | |
| | WETLAND | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | ro 75%) | G Ext | rensive (>75%) | |
| Bar | RREN (BEACH) | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | ro 75%) | G Ext | rensive (>75%) | |
| | DEVELOPED | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | ro 75%) | G Ext | TENSIVE (>75%) | |
| SHORELINE MODS. (DO | CKS, RIPRAP) | G RARE (< 5%) | Sparse (5 to 25%) | G MODERATE (25 1 | го 75%) | G Ext | TENSIVE (>75%) | |
| | | QUALI | TATIVE MACROPHYTE | SURVEY | | | | |
| | | MACROPHYTE DENSIT | G ABSENT G S | SPARSE C | MODERATE | G D | ENSE | |
| EMERGENT/FLOATING COVERAGE (% LAKE AREA) | | | A) G 0 TO 25% G 2 | 5 то 50 % | 50 то 75 % | G, | 75% | |
| | SUBMERGEN | T COVERAGE (% LAKE ARE | A) G о то 25% G 2 | 5 то 50% | 50 то 75 % | G, | 75% | |
| DESCRIPTION: | DESCRIPTION: | | | | | | | |

(Continued on reverse side)

REVIEWED BY (INITIAL):_____

Rev. 3/95 FLDFRMS.95(G) Lake Assessment Form - 1

| LAKE ID: | _L | LAKE ASSE | SSMENT FORM (cont | inued) | VISI | T#: 1 2 | <u> </u> |
|--|----------------|-----------|-------------------|--------------------|------------------|-------------|----------|
| QUALITATIVE ASSESSMENT OF ENVIRONMENTAL VALUES | | | | | | | |
| TROPHIC STATE | G осідоткорніс | C | MESOTROPHIC | G EUTROPHIC | G Hypereu | rophic | |
| VISUAL ASSESSMENT: | | | | | | | |
| ALGAL ABUNDANCE & TYPE: | | | | | | | |
| NUTRIENT STATUS: | | | | | | | |
| OTHER: | | | | | | | |
| FISHABILITY: | G EXCELLENT | C | GOOD | G FAIR | G Poor | | |
| CONDITIONS: | | | | | | | |
| LOCAL CONTACTS: | | | | | | | |
| Observations: | | | | | | | |
| OVERALL BIOTIC INTEGRITY | G EXCELLENT | C | IMPACTED | G SEVERELY IMPACTE | 0 | | |
| GENERAL ASSESSMENT: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| WILDLIFE OBSERVED: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| WATERBODY CHARACTER (CIR | CLE ONE) | | | | | | |
| PRISTINE 5 | | 4 | 3 | 2 | 1 | DEVELOPED | |
| APPEALING 5 | | 4 | 3 | 2 | 1 | UNAPPEALING | |
| COMMENTS: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | REVIEWED BY (INI | TIAL): | _ |

Rev. 3/95 FLDFRMS.95(G) Lake Assessment Form - 2

NOTICE

This research has been funded wholly or in part by the U.S. Environmental Protection Agency through its Office of Research and Development (ORD) and was conducted with research partners under the management of the Western Ecology Division, Corvallis, Oregon, the Characterization Research Division, Las Vegas, Nevada, and the Ecological Exposure Research Division, Cincinnati, Ohio under the following contracts and cooperative agreements:

Contract 68-C0-0049 to Lockheed Environmental Systems and Technologies Co., Inc.

Contract 68-C8-0006 to ManTech Environmental Technology, Inc.

Contract 68-C1-0022 to Technology Applications, Inc.

Cooperative Agreements CR818606 and CR816721 to Oregon State University

Cooperative Agreements CR819658 and CR818179 to the University of Maine-Orono

Cooperative Agreement CR814701 to the University of Nevada-Las Vegas

Cooperative Agreement CR818707 to Queens University

Cooperative Agreement CR819689-01-0 to Dartmouth College

The correct citation for this document is:

Baker, John R., David V. Peck, and Donna W. Sutton (editors). 1997. Environmental Monitoring and Assessment Program Surface Waters: Field Operations Manual for Lakes. EPA/620/R-97/001. U.S. Environmental Protection Agency, Washington, D.C.

Section authors are:

Section 1: S. G. Paulsen¹, John R. Baker², and Donna W. Sutton²

Section 2: John R. Baker² and David V. Peck³

Section 3: Glenn D. Merritt⁴, Victoria C. Rogers⁵, and David V. Peck³

Section 4: John R. Baker² and David V. Peck³

Section 5: Philip R. Kaufmann⁶ and Thomas R. Whittier⁷

Section 6: Thomas R. Whittier⁷, Peter Vaux⁸, and Roger B. Yeardley⁹

Section 7: John R. Baker², Alan T. Herlihy⁶, Sushil S. Dixit¹⁰, and Richard Stemberger¹¹
Section 8: Wesley L. Kinney¹², R. O. Brinkhurst¹³, Thomas R. Whittier⁷, and David V. Peck³

Section 9: Alan T. Herlihy⁶

Appendix A: R.J. O'Connor¹⁴ and A.K. Moors¹⁴

- ² Lockheed Environmental Systems & Technologies Co., Las Vegas, Nevada.
- ³ Lockheed Environmental Systems & Technologies Co., now with U.S. EPA, Western Ecology Division, Corvallis, Oregon.
- Lockheed Environmental Systems & Technologies Co., now with Washington Department of Ecology, Olympia, Washington.
- ⁵ Lockheed Environmental Systems & Technologies Co., now with Linn-Benton Community College, Albany, Oregon
- Dept. Of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon
- ⁷ ManTech Environmental Technology, Inc., now with Dynamac, Inc., Corvallis, Oregon.
- Environmental Research Center, University of Nevada, Las Vegas, Nevada
- ⁹ Technology Applications, Inc., now with DynCorp, Cincinnati, Ohio.
- Department of Biology, Queens University, Kingston, Ontario, Canada
- Department of Biology, Dartmouth College, Hanover, New Hampshire
- U.S. EPA, Characterization Research Division, Las Vegas, Nevada (retired).
- ¹³ Aquatic Resources Center, Franklin, Tennessee
- Department of Wildlife Ecology, University of Maine, Orono, Maine

¹ U.S. EPA, Western Ecology Division, Corvallis, Oregon.

TABLE OF CONTENTS

| Se | ction | Page |
|--------------------------|---|--|
| Abs Fig Tab Acl | tice stract gures bles knowledgments ronyms and Abbreviations | . iv . ix . xi |
| Se | ction | |
| | | |
| 1 | INTRODUCTION by S. G. Paulsen, John R. Baker, Sushil S. Dixit, Philip R. Kaufmann, Wesley L. Kinney, Richard Stemberger, Donna W. Sutton, Thomas R. Whittier, and Roger B. Yeardley 1.1 Overview of EMAP Surface Waters 1.2 Synopsis of the Lake Sampling Component of EMAP Surface Waters 1.3 Indicator Summary 1.3.1 Physical Habitat 1.3.2 Fish Assemblage 1.3.3 Fish Tissue Contaminants 1.3.4 Water Chemistry and Associated Measurements 1.3.5 Zooplankton 1.3.6 Sediment Diatoms 1.3.7 Benthic Invertebrate Assemblages 1.3.8 Lake Assessment or Site Characteristics 1.3.9 Riparian Bird Assemblage 1.4 Objectives and Scope of the Field Operations Manual 1.5 References | . 1-1 . 1-4 . 1-6 . 1-7 . 1-8 . 1-9 1-10 1-11 1-12 . 1-14 |
| 2 | DAILY OPERATIONS SUMMARY by John R. Baker and David V. Peck 2.1 Sampling Scenario 2.2 Recording Data and Other Information | . 2-1 |
| 3 | BASE SITE ACTIVITIES by Glenn D. Merritt, Victoria C. Rogers, and David V. Peck 3.1 Predeparture Activities 3.1.1 Daily Itineraries 3.1.2 Instrument Checks and Calibration 3.1.3 Equipment Preparation 3.2 Postsampling Activities 3.2.1 Equipment Cleanup and Check 3.2.2 Shipment of Samples and Forms 3.2.3 Communications. | . 3-1 . 3-3 . 3-5 . 3-7 . 3-7 |
| 4 | LAKE VERIFICATION AND INDEX SITE LOCATION by John R. Baker and David V. Peck 4.1 Lake Verification at the Launch Site 4.2 Lake Verification at the Index Site Location 4.3 Equipment and Supply List | . 4-1 . 4-7 |
| 5 | HABITAT ASSESSMENT by Philip R. Kaufmann and Thomas R. Whittier 5.1 Temperature and Dissolved Oxygen 5.1.1 Calibration of the Dissolved Oxygen Meter 5.1.2 Index Site Conditions and Lake Profile Measurements 5.2 Shoreline Physical Habitat Characterization 5.2.1 Locating Each Physical Habitat Station and Defining the Shoreline Boundary 5.2.2 Physical Habitat Characterization Form and Instructions 5.2.3 Riparian and Littoral Macrohabitat Characteristics and Mapping 5.3 Equipment and Supply List | . 5-1 . 5-5 . 5-8 . 5-8 . 5-8 5-12 5-21 |

TABLE OF CONTENTS (Continued)

| Se | ction | Page |
|----|---|--------|
| 6 | FISH SAMPLING by Thomas R. Whittier, Peter Vaux, and Roger B. Yeardley | . 6-1 |
| | 6.1 Physical Habitat Descriptions | . 6-1 |
| | 6.2 Selecting Fishing Sites | . 6-1 |
| | 6.2.1 Fish Sampling Effort Required | . 6-4 |
| | 6.2.2 Selecting Sites for Midlake Gill Nets | |
| | 6.2.3 Selecting Sites For Littoral Trap Nets and Gill Nets | |
| | 6.2.4 Selecting Sites for Seining | |
| | 6.2.5 Judgment and "Extra" Sampling | |
| | 6.2.6 Recording Gear Type Placement Data | |
| | 6.3 Predeployment Preparation of Fishing Gear | |
| | 6.4 Deployment Methods | |
| | 6.4.1 Gill Nets | |
| | 6.4.2 Trap Nets and Minnow Traps | |
| | 6.4.3 Fish Tany Form and histractions | |
| | 6.5.1 Gill Nets | |
| | 6.5.2 Trap Nets and Minnow Traps | |
| | 6.5.3 Seines | |
| | 6.6 Processing Fish | |
| | 6.6.1 Species Identification and Tally | |
| | 6.6.2 External Anomalies | |
| | 6.6.3 Length | |
| | 6.6.4 Tissue Contaminants Samples | |
| | 6.6.5 Museum Vouchers | . 6-46 |
| | 6.7 Equipment and Supply List | . 6-49 |
| | | |
| 7 | WATER AND SEDIMENT SAMPLING by John R. Baker, Alan T. Herlihy, Sushil S. Dixit, | |
| | and Richard Stemberger | |
| | 7.1 Secchi Transparency | |
| | 7.2 Water Sample Collection | |
| | 7.4 Zooplankton | |
| | 7.5 Sediment Diatom Sample Collection | |
| | 7.6 Equipment and Supply List | |
| | | |
| 8 | BENTHIC INVERTEBRATE SAMPLING by Wesley L. Kinney, R. O. Brinkhurst, | |
| | Thomas R. Whittier, and David V. Peck | . 8-1 |
| | 8.1 Site Selection and Sample Collection | |
| | 8.2 Sample Processing | |
| | 8.3 Qualitative Zebra Mussel Survey | |
| | 8.3.1 Species Characteristics and Probable Habitat | |
| | 8.3.2 Collection and Data Recording | |
| | 8.4 Equipment and Supply List | |
| | 8.5 References | . 8-15 |
| 9 | FINAL LAKE ACTIVITIES by Alan T. Herlihy | . 9-1 |
| • | 9.1 General Lake Assessment | |
| | 9.1.1 Lake Site Activities and Disturbances | |
| | 9.1.2 General Lake Information | |
| | 9.1.3 Shoreline Characteristics | |
| | 9.1.4 Qualitative Macrophyte Survey | |
| | 9.1.5 Qualitative Assessment of Environmental Values | |
| | 9.2 Data Forms and Sample Inspection | 9-10 |
| | 9.3 Launch Site Cleanup | . 9-10 |

Appendix

| Α | Avian Indicator Field Operations Manual | . A-1 |
|--|---|--|
| В | Lake-Visit Checklists | B-1 |
| С | Field Data Forms | . C-1 |
| | FIGURES | |
| Fiç | gure F | age |
| 1-1 | Selection of probability sample | 1-3 |
| 2-1 2-2 2-3 | , , , | 2-3 |
| 3-1 3-2 | oxygen meter | . 3-4 |
| 3-3 4-1 4-2 4-3 4-4 | Summary of lake verification and index site activities. Lake Verification Form, Side 2. Lake Verification Form, Side 1. | 4-2 4-3 4-5 |
| 5-1 5-2 | Typical temperature and dissolved oxygen profile of a thermally stratified lake | |
| 5-3 5-4 5-5 5-6 5-7 | Lake Profile Form, Side 1 | 5-6 5-7 5-9 5-10 |
| 5-8 5-9 5-1 5-1 | Physical habitat characterization plot | 5-14 5-18 |
| 6-1 6-2 6-3 6-4 6-5 6-6 6-7 6-8 6-9 6-9 6-9 6-9 | Fish Tally FormLakes, Side 1. Types of gill net sets. Fish Tally Continuation FormLakes, Side 1. Fish Tally Form, Side 2. Fish Length FormLakes. Fish Tissue Sample Tracking Form. Fish-related activities equipment checklists (page 1) Fish-related activities equipment checklists (page 2) Fish-related activities equipment checklists (page 3) Fish-related activities equipment checklists (page 4) | 6-3 6-9 6-15 6-19 6-34 6-36 6-40 6-51 6-51 6-52 6-53 |
| 7-1 7-2 7-3 7-4 | Fish-related activities equipment checklists (page 6) Water and sediment sampling activities summary Sample Collection Form Zooplankton net configuration | 7-2 7-4 7-9 |

FIGURES (Continued)

| Figure | P | age |
|--------------|---|------|
| 7-5 | Water and sediment sampling checklist (page 1) | 7-15 |
| 7-5 | Water and sediment sampling checklist (page 2) | |
| 3-1 | Benthic invertebrate sampling activities summary | 8-2 |
| 3-2 | Lake Profile Form | |
| 3-3 | Benthos Sample Location and Collection Form, Side 1 | 8-6 |
| 3-4 | Process for selecting benthic sample sites | |
| 3-5 | Benthos Sample Location and Collection Form, Side 2 | 8-8 |
| 3-6 | Zebra mussel (Dreissena polymorpha) | 8-13 |
| 3-7 | Benthic invertebrate sampling checklist | 8-16 |
| 9-1 | Final lake activities summary | |
| 9-2 | Lake Assessment Form, Side 1 | |
| 9-3 | Lake Assessment Form, Side 2 | 9-4 |
| | TABLES | |
| Гablе | I | Page |
| 2-1 | Guidelines for Recording Field Data and Other Information | 2-7 |
| 3-1 | Initialization Procedures for the Global Positioning System | 3.6 |
| 3-1 3-2 | Stock Solutions, Uses, and Methods for Preparation | |
| 3-2 3-3 | Postsampling Equipment Care | |
| 3-4 | Sample Packaging and Shipping Guidelines | |
| 1 -1 | Global Positioning System Survey Procedures | 4-4 |
| 1-2 | Locating the Index Site | 4-8 |
| 5-1 | General Guidelines for Locating or Modifying Physical | |
| | Habitat Stations | |
| 5-2 | Steps Required to Complete Physical Habitat Characterization Form | |
| 5-3 | Riparian and Littoral Macrohabitat Characteristics and Mapping | |
| 5-4 | Littoral Fish Microhabitat Classification | 5-23 |
| 5-1 | Number of Fish Sampling Stations | 6-5 |
| 5-2 | Selecting Gill Net Locations | |
| 5-3 | Selecting Littoral Sampling Sites | |
| 5-4 | Selecting Seining Sites | |
| 5-5 | Onshore Preparation of Trap Nets and Minnow Traps | |
| 5-6 | Onshore Preparation of Gill Nets | |
| 5-7 | Setting Each Epilimnetic Gill Net | |
| 5-8 | Setting Each Bottom Gill NetHypolimnion and Metalimnion | |
| 5-9 | Setting Each Trap Net | |
| 5-10 5-11 | Retrieving Each Gill Net | |
| 5-11 5-12 | Retrieving Each Trap Net and Minnow Trap | |
| 5-12 5-13 | Night Seining with the Beach Seine | |
| 5-13 5-14 | Night Seining with the Short Seine | - |
| 5-14 5-15 | General Fish Processing Chronology | |
| 5-15 5-16 | Tallying, Examining, and Measuring Fish | |
| | Examining Fish for External Anomalies | |
| 5-17 5-18 | Final Selection of Fish Tissue Sample Fish Tissue Sample Processing | |
| 5-18 5-19 | Overview of Fish Vouchering | |
| , 1, | O volview of 1 ion voucioning | 0-57 |

TABLES (Continued)

| Table | | Page |
|-------|---|------|
| 7-1 | Secchi Disk Transparency Procedures | 7-3 |
| 7-2 | Operation of Van Dorn Sampler | |
| 7-3 | Syringe and Cubitainer Sample Collection | |
| 7-4 | Procedures for Collection and Filtration of Chlorophyll <i>a</i> Sample | 7-8 |
| 7-5 | Zooplankton Collection Procedure | |
| 7-6 | Collection Procedure for Sediment Diatom Cores | 7-12 |
| 8-1 | Collection Protocol for Benthic Sampling | 8-3 |
| 8-2 | Processing Benthic Sample | 8-10 |
| 8-3 | Qualitative Zebra Mussel Survey | |
| 9-1 | Lake Site Activities and Disturbances | 9-5 |
| 9-2 | General Lake Information Noted During Lake Assessment | 9-7 |
| 9-3 | Shoreline Characteristics Observed During Final Lake Assessment | 9-8 |

ACKNOWLEDGMENTS

In any undertaking with a scope as broad as that of EMAP-Surface Waters, many individuals contribute in important ways not reflected by authorship on documents such as this. This is especially true of the contents of this manual which are the product of tests and lessons learned over a period of 5 years of field work. Rather than attempt to list all of these contributors, and risk omitting some, we will identify the organizations whose staff members participated in the development of the material presented in this manual:

- EMAP-Surface Waters and associated laboratory staff in Corvallis, Las Vegas, and Cincinnati, including EPA and on-site contractor
 personnel (ManTech Environmental Technology, Inc., Lockheed Environmental Systems & Technologies Company, and
 Technology Applications, Inc.).
- Environmental Services Division of EPA Regions 1 and 2.
- Personnel on cooperative agreements with Oregon State University, Queens University, Dartmouth College, University of Maine, the University of Nevada at Las Vegas, and the Aquatic Resources Center.
- Members of the lake sampling crews of miscellaneous origin.
- Members of the peer review panel and reviewers of this manual.

Wes Kinney of the EPA in Las Vegas, made significant contributions as the Work Assignment Manager from 1991 through 1994 as well as the lead scientist for the benthic invertebrate indicator. We especially appreciate the members of the sampling crews for their diligent efforts in testing these procedures and in obtaining data of outstanding quality. The following people provided official technical reviews of this manual: B. Baldigo (U.S. Geological Survey), J. Kurtenbach (U.S. EPA), and S. Cline (U.S. EPA). Many others provided informal but important review comments. The Michigan Sea Grant Program kindly provided the drawings of zebra mussels used in Figure 8-6.

ACRONYMS AND ABBREVIATIONS

BPJ Best Professional Judgment

DLGs Digital Line Graphs
DO dissolved oxygen

EMAP Environmental Monitoring and Assessment Program

EPA U.S. Environmental Protection Agency

GPS Global Positioning System

GQ geometric quality ID identification

ORD Office of Research and Development

OSHA Occupational Safety and Health Administration

P-Hab physical habitat
PVC polyvinyl chloride
QA quality assurance
QC quality control
SQ signal quality

STARS Sample Tracking and Reporting System

T Top

TIME Temporally Integrated Monitoring of Ecosystems

USGS United States Geological Survey

YOY young of year

YSI Yellow Springs Instrument system

Measurement Units

ha hectare m meter

ppm parts per million